河北臻扬电气科技有限公司

TECHNOLOGY


绝缘护罩产品介绍

PRODUCT LNTRODUCTION: LNSULATION SHIELD



河北省沧州市任丘市梁召镇北芦工业区

3852730711@qq.com



ABOUT US

01

关于企业

About the Company

河北臻扬电气科技有限公司是一家从事电气设备及配件生产的综合性民营企业，公司成立于2017年1月12日。

Hebei Zhenyang Electric Technology Co., Ltd. is a comprehensive private enterprise specializing in the production of electrical equipment and components, established on January 12,2017.

02

创新与研发

Innovation and Research & Development

公司的经营范围主要是新型电力产品的研发与技术服务，公司注册资金3600万

The company's primary business scope includes the research and development of innovative power products as well as technical services, with a registered capital of 36 million yuan.

03

产品与服务

Products and Services

公司技术力量雄厚，具有完善的质量保证体系，并通过了ISO9001质量体系认证

The company boasts robust technical capabilities, a comprehensive quality assurance system, and has obtained ISO 9001 certification for its quality management system.

04

质赢发展

Quality-driven Development

企业强化管理，建立和完善了新的运行机制，转化了企业的经营管理方式建立现代企业制度

The enterprise strengthened its management, established and improved new operational mechanisms, transformed its business management approach, and implemented a modern corporate governance system.

/01 企业资质

enterprise qualification



环境管理体系认证证书

证书编号：19726E00380R001

兹 证 明

河北臻扬电气科技有限公司

统一社会信用代码：91130982MA0854789XA

注册地址：河北省沧州市任丘市梁召镇长七路南侧北芦张村村西 200 米（经营场所：河北省沧州市任丘市梁召镇南芦村村西 200 米）　邮编：062557

经营地址：河北省沧州市任丘市梁召镇南芦村村西 200 米　邮编：062557

河北省沧州市任丘市梁召镇长七路南侧北芦张村村西 200 米　邮编：062557

管理体系符合

GB/T 24001-2016/ISO 14001:2015《环境管理体系 要求及使用指南》标准要求

认证范围：

安全工器具（接地线、接地棒、拉闸杆、围栏、拉线保护套、防撞桶、标识牌、防鸟设备）、电力金具和铁附件的生产所涉及场所的相关环境管理活动

发证日期：2026 年 04 月 17 日

有效期至：2029 年 04 月 16 日

签发人：

IAF　CNAS　中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M

认证机构：北京国标联合认证有限公司

北京市朝阳区北三环东路8号1幢-3层26层101内26层809室 电话：(+86 10) 8225 2376 www.china-isc.org.cn



质量管理体系认证证书

证书编号：19726Q00533R001

兹 证 明

河北臻扬电气科技有限公司

统一社会信用代码：91130982MA0854789XA

注册地址：河北省沧州市任丘市梁召镇长七路南侧北芦张村村西 200 米（经营场所：河北省沧州市任丘市梁召镇南芦村村西 200 米）　邮编：062557

经营地址：河北省沧州市任丘市梁召镇南芦村村西 200 米　邮编：062557

河北省沧州市任丘市梁召镇长七路南侧北芦张村村西 200 米　邮编：062557

管理体系符合

GB/T 19001-2016/ISO 9001:2015《质量管理体系 要求》标准要求

认证范围：

安全工器具（接地线、接地棒、拉闸杆、围栏、拉线保护套、防撞桶、标识牌、防鸟设备）、电力金具和铁附件的生产

发证日期：2026 年 04 月 17 日

有效期至：2029 年 04 月 16 日

签发人：

IAF　CNAS　中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M

认证机构：北京国标联合认证有限公司

北京市朝阳区北三环东路8号1幢-3层26层101内26层809室 电话：(+86 10) 8225 2376 www.china-isc.org.cn



职业健康安全管理体系认证证书

证书编号：19726S00362R001

兹 证 明

河北臻扬电气科技有限公司

统一社会信用代码：91130982MA0854789XA

注册地址：河北省沧州市任丘市梁召镇长七路南侧北芦张村村西 200 米（经营场所：河北省沧州市任丘市梁召镇南芦村村西 200 米）　邮编：062557

经营地址：河北省沧州市任丘市梁召镇南芦村村西 200 米　邮编：062557

河北省沧州市任丘市梁召镇长七路南侧北芦张村村西 200 米　邮编：062557

管理体系符合

GB/T 45001-2020/ISO 45001:2018

《职业健康安全管理体系 要求及使用指南》标准要求

认证范围：

安全工器具（接地线、接地棒、拉闸杆、围栏、拉线保护套、防撞桶、标识牌、防鸟设备）、电力金具和铁附件的生产所涉及场所的相关职业健康安全管理活动

发证日期：2026 年 04 月 17 日

有效期至：2029 年 04 月 16 日

签发人：

IAF　CNAS　中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C272-M

认证机构：北京国标联合认证有限公司

北京市朝阳区北三环东路8号1幢-3层26层101内26层809室 电话：(+86 10) 8225 2376 www.china-isc.org.cn



环境管理体系认证证书

兹 证 明

河北臻扬电气科技有限公司

统一社会信用代码：91130982MA0854789XA

注册地址：河北省沧州市任丘市梁召镇长七路南侧北芦张村村西 200 米　邮编：062557

经营地址：河北省沧州市任丘市梁召镇南芦村村西 200 米　邮编：062557

环境管理体系符合

GB/T 24001-2016/ISO 14001:2015 标准的要求

该体系认证所覆盖的范围

安全工器具（接地线、接地棒、拉闸杆、围栏、拉线保护套、防撞桶、标识牌、防鸟设备）、高压隔离开关、电力金具和铁附件的生产及相关的环境管理活动

初次发证日期：2023 年 05 月 31 日　本次发证日期：2025 年 06 月 18 日　证书有效日期：2026 年 05 月 30 日

获证组织需每年接受监督审核且满足要求，证书方可继续有效

认证证书有效性核实请登录下列网站或扫描二维码

国家认证认监委官方信息公开网站 cx.cnca.cn

签发人：

IAF　CNAS　中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C265-M

华生原检测认证中心（北京）有限公司

中心地址：北京市朝阳区北苑路 13 号院 1 号楼 7 层 B 单元 709

中心网站：www.china-eoc.org　电话：010-52421856



职业健康安全管理体系认证证书

兹 证 明

河北臻扬电气科技有限公司

统一社会信用代码：91130982MA0854789XA

注册地址：河北省沧州市任丘市梁召镇长七路南侧北芦张村村西 200 米　邮编：062557

经营地址：河北省沧州市任丘市梁召镇南芦村村西 200 米　邮编：062557

职业健康安全管理体系符合

GB/T 45001-2020/ISO 45001:2018 标准的要求

该体系认证所覆盖的范围

安全工器具（接地线、接地棒、拉闸杆、围栏、拉线保护套、防撞桶、标识牌、防鸟设备）、高压隔离开关、电力金具和铁附件的生产及相关的职业健康安全管理活动

初次发证日期：2023 年 05 月 31 日　本次发证日期：2025 年 06 月 18 日　证书有效日期：2026 年 05 月 30 日

获证组织需每年接受监督审核且满足要求，证书方可继续有效

认证证书有效性核实请登录下列网站或扫描二维码

国家认证认监委官方信息公开网站 cx.cnca.cn

签发人：

IAF　CNAS　中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C265-M

华生原检测认证中心（北京）有限公司

中心地址：北京市朝阳区北苑路 13 号院 1 号楼 7 层 B 单元 709

中心网站：www.china-eoc.org　电话：010-52421856



质量管理体系认证证书

兹 证 明

河北臻扬电气科技有限公司

统一社会信用代码：91130982MA0854789XA

注册地址：河北省沧州市任丘市梁召镇长七路南侧北芦张村村西 200 米　邮编：062557

经营地址：河北省沧州市任丘市梁召镇南芦村村西 200 米　邮编：062557

质量管理体系符合

GB/T 19001-2016/ISO 9001:2015 标准的要求

该体系认证所覆盖的范围

安全工器具（接地线、接地棒、拉闸杆、围栏、拉线保护套、防撞桶、标识牌、防鸟设备）、高压隔离开关、电力金具和铁附件的生产

初次发证日期：2023 年 04 月 21 日　本次发证日期：2025 年 06 月 18 日　证书有效日期：2026 年 04 月 30 日

获证组织需每年接受监督审核且满足要求，证书方可继续有效

认证证书有效性核实请登录下列网站或扫描二维码

国家认证认监委官方信息公开网站 cx.cnca.cn

签发人：

IAF　CNAS　中国认可 国际互认 管理体系 MANAGEMENT SYSTEM CNAS C265-M

华生原检测认证中心（北京）有限公司

中心地址：北京市朝阳区北苑路 13 号院 1 号楼 7 层 B 单元 709

中心网站：www.china-eoc.org　电话：010-52421856

企业荣誉

enterprise honor











检测报告

examining report



No. ZL25010111

检 测 报 告


TEST REPORT

样 品 名 称： 绝缘罩
NAME OF SAMPLE

委 托 单 位： 河北臻扬电气科技有限公司
CLIENT

检 测 类 别： 委托检测
CLASSIFICATION OF TEST

化学工业合成材料老化质量监督检验中心
The Quality Supervision and Inspection Center of Synthetic Material Ageing of Chemical Industry



注 意 事 项

1. 检测报告未加盖检测单位“检验检测专用章”无效。
2. 复制检测报告未重新加盖检测单位“检验检测专用章”无效。
3. 检测报告无主检、审核、批准人签章无效。
4. 检测报告涂改无效。
5. 对检测报告若有异议，应于收到报告之日起十五日内向检测单位提出，逾期不予受理。
6. 送检委托检测结果，仅对所送样品有效。送样委托检测的样品及相关信息均由委托方提供，本中心不对其真实性及完整性负责。
7. 无CMA标识报告中的数据和结果，以及有CMA标识报告，报告中标明不在本中心资质认定能力范围内的数据和结果，不具有社会证明作用，仅供委托方内部使用。

NOTES

1. The test report is invalid without the stamp of “Special Seal for Test” or “Common Seal of Test Unit”.
2. The copy of the test report is invalid without the remarked stamp of “Special Seal for Test” or “Common Seal of Test Unit”.
3. The test report without the signatures of operator, supervisor and manager is invalid.
4. The modified report is invalid.
5. When there is disagreement to the test report , the test unit should be informed within15 days since the report is received by the client. Overdue information will not be accepted.
6. The conclusion of the commissioned test is valid only for the provided sample. The sample commissioned for testing and its related information are provided by the client, and the center is not responsible for its authenticity and integrity.
7. The data and results in the reports without CMA identification, as well as the data and results are not in the scope of the center's qualification in the reports with CMA identification, are not socially proven. Only for the internal use of the client.

地 址：广州市天河区棠下车陂西路396号 广州合成材料研究院有限公司内

Addr Guangzhou Research Institute of Synthetic Material Limited Company, No.396 chebei road west ,Tangxia Tianhe Guangzhou China


电 话（Tel）：(020)82579232、32377636、32373323

申诉电话（Complaint Tel.）(020)32373200

邮 编（Post No）：510665

网址：www.gzlaohuasuo.com

报告真伪查询：二维码查询，手机扫描本报告封面二维码，核对真伪。如需查询完整报告内容，请联系本实验室，查询电话 020-32373900



化学工业合成材料老化质量监督检验中心
The Quality Supervision and Inspection Center of Synthetic Material Ageing of Chemical Industry

检测项目及结果Test Items and Results

No. ZL25010111 共 3 页 第 2 页

序号	检 测 项 目	指标值	检测结果	本项结论
1	外观	产品表面应色泽均匀，不得有明显的气泡、裂纹、凹坑、裂纹等缺陷。	产品表面色泽均匀，无明显的气泡、裂纹、凹坑、裂纹等缺陷。	符合
2	工频耐压10kV/1min	无击穿。	无击穿。	符合



化学工业合成材料老化质量监督检验中心
The Quality Supervision and Inspection Center of Synthetic Material Ageing of Chemical Industry

检 测 报 告 Test Report

No. ZL25010111 共 3 页 第 1 页

样品名称 Name of Sample	绝缘罩	样品编号 Sample Number	L25010027-4
委托单位 Client	河北臻扬电气科技有限公司	检测类别 Classification of Test	委托检测
生产单位 Manufacturing	河北臻扬电气科技有限公司	生产批号 Batch Number	------
送样日期 Sampling Date	2025年1月3日	生产日期 Production Date	------
样品等级 Sample Grade	------	型号/商标 Type/Trademark	------/------
样品数量 Sample Numbers	1 组	合同编号 Contract Number	L25010027
检测项目 Test Item	见检测项目及结果页	样品描述及说明 Description and Explanation of Sample	未见异常
检测依据 Test Method	DL/T 379-2010变压器出线罩子用绝缘防护罩通用技术条件 GB/T 1408.1-2016绝缘材料 电气强度试验方法 第1部分:工频下试验		
检测结论 Result	检测结果详见下页。 （检测结论简短写） 批准日期：2025年1月7日		
备注 Remark	------		

批准： Approved by 审核： Inspected by 主检： Tested by



化学工业合成材料老化质量监督检验中心
The Quality Supervision and Inspection Center of Synthetic Material Ageing of Chemical Industry

No. ZL25010111 共 3 页 第 3 页

委托方地址 Client Address	任丘市梁召镇南芦村
试样制备及说明 Preparation of Sample and Explanation	样品由委托方制备
主要试验设备（或仪器） Main Testing and Mesuring Instruments	ZJC-100kV计算机控制电压击穿试验仪(L0279)
试验环境及状态 Test Environment and Condition	环境温度：(23±2) ℃；相对湿度：(50±10) %
试验结果不确定度 Uncertainty of Testing Results	------
分包项目及分包方 Subcontractor and Subcontracting Items	------
备 注 Remark	所有项目指标委托方提供

**********结束**********

目录

CONTENTS

电力金具系列————————————————1/5
Electric Metal Components Series

铁附件系列————————————————6/6
Electric Metal Components Series

电力金具（线夹）系列————————————7/8
Electric Metal Components (Wire Clamps) Series

安全工具柜————————————————9/12
Safety Tool Cabinet

防撞桶、警示系列————————————13/14
Anti-collision barrels, warning series

开关柜配件、安全防护系列————————15/16
Switchgear Accessories, Safety Protection Series

接地线、接地线夹————————————17/18
Ground wire, ground wire clamp

接地棒、带电作业绝缘工具系列、拉闸杆--19/22
Grounding rod, series of insulated tools for live-line work, circuit breaker handle

声光高压验电器————————————23/23
Acoustic-Visual High-Voltage Electric Meter

绝缘梯、绝缘凳系列————————————24/26
Insulation Ladders and Insulation Stools Series

围栏、围栏网、支架、警示带系列————27/28
Fences, fence nets, supports, and warning tape series

绝缘子、避雷器、隔离开关、熔断器————29/30
Insulators, surge arresters, disconnectors, fuses

绝缘护套、安全帽、绝缘靴、绝缘手套--31/32
Insulating sheaths, safety helmets, insulating boots, insulating gloves

卡线器、放线滑轮、防鸟设备系列————33/34
Wire cutter, wire release pulley, series of bird-proof devices

标识牌系列————————————————35/36
Signboard Series

安全带、脚扣、柜内安全工具系列————37/38
Safety belts, foot fasteners, and a series of safety tools for use inside cabinets

电力金具系列
Electric Metal Components Series



绝缘并沟线夹
Insulation and junction line clamp



悬垂线夹
suspension clamp



JJC型绝缘穿刺线夹
JJC-type insulated piercing clamp



JJCD型穿刺接地线夹
JJCD Type Penetrating Grounding Wire Clamp



铜母线伸缩节
Copper busbar expansion joint



铜铝母线伸缩节
Copper-aluminum busbar expansion joint



铝母线伸缩节
Aluminum busbar expansion joint



TL型线夹
TL-type wire clamp



MSC槽母线伸缩节
MSC Busbar Expansion Joint



MGTT T型线夹
MGTT T-shaped clamp



铜T型线夹
Copper T-shaped wire clamp



铜铝T型线夹
Copper-aluminum T-shaped wire clamp



铝T型线夹
Aluminum T-shaped wire clamp




TL、TLS系列T型线夹
TL and TLS series T-shaped clamps



TYL T型线夹
TYL T-shaped clamp



BGL节能异径线夹
BGL Energy-saving Elbow Clamp



压缩型铜铝设备线夹
Compressed copper-aluminum equipment clamp



压缩型铜设备线夹
Compressed copper equipment clamp



压缩型铝设备线夹
Compressed aluminum equipment clamp



管母线引下线T接线夹
T-type connector for the busbar lead-down wire



FG、FD型防振锤
FG、FDstockbridge damper



FDZ型防振锤
FDZstockbridge damper



UL型挂环
UL-shaped hanging ring



U型挂环
U-shaped hanging ring



Q型球头挂环
Q-shaped spherical head ring



QP型球头挂环
QP-type spherical head ring



QH型球头挂环
QH-type spherical head ring



QU型球头挂环
QU-shaped spherical head ring



JDL-T型接地线夹
JDL-T Type Grounding Clutch



MJ管母线内接头
MJ Busbar Internal Joint



悬吊线夹
Suspended wire clamp



MRJ双分裂间隔棒
MRJ double septal partition bar





JKG、JKL型接户线夹及绝缘套
JKG、JKLHousehold connection clamps and insulating sleeves




电力金具系列
Electric Metal Components Series



ZH型挂板
ZH-type hanging plate




PH型延长环
PH-type extension ring



UB型直角挂板
UB-shaped right-angle hanging plate



Z型直角挂板
Z-shaped right-angle hanging plate



平行挂板
Parallel mounting plate



PS型挂板
PS-type hanging plate



BD避雷线悬垂吊架
BD Lightning Protection Wire Suspension Support



MWL户外矩形母线固定金具
MWL Outdoor Rectangular Busbar Fixing Hardware



MNL户内矩形母线固定金具
MNL Indoor Rectangular Busbar Fixing Device



MWP户外矩形母线固定金具
MWP Outdoor Rectangular Busbar Fixing Component



MWP户内矩形母线固定金具
MWP Indoor Rectangular Busbar Fixing Device



MCW槽型母线固定金具
MCW Slot-type Busbar Fixing Component



NLL铝合金耐张线夹
NLL aluminum alloy tension clamp



NY系列耐张线夹
NY Series Tension Clamps




NB系列耐张线夹
NB Series Tension Clamps



FJQ型间隔棒
FJQ-type septum







W、WS 型碗头挂板
W/WS Type Bowl Head Mount Plate



防盗帽/NUT线夹（可调式）
Anti-theft cap/NUT clamp (adjustable)



UT 系列线夹(不可调式)
UT Series Clamps (Non-adjustable)



NX系列楔形线夹
NX Series Wedge Clamps

JJB2阻尼型间隔棒
JJB2 Damped Spacing Bar



MDG单导线固定金具
MDG single-wire fixed fixture



MGT管母线T接金具
MGT Busbar T-joint Assembly



MSG双母软线固定金具
MSG Double-Mother Soft Wire Fixing Hardware



MGD端部固定金具
MGD End Fixation Device



MDU管母线悬挂金具
MDU Busbar Suspension Hardware

电力金具系列
Electric Metal Components Series




JE补修管
JE Repair Pipe




接续管
splicing sleeve



JY、JBD、JYD接续管
JY, JBD, JYD connecting pipes



JYT跳线线夹
JYT jumper clamp




GT-G铜连接管
GT-G Copper Connection Pipe



GL-G铝连接管
GL-G aluminum connecting pipe



跳线线夹
jumper clamp



平行线用线夹
Use a line clamp for parallel lines



钢线卡子
Steel wire clamp



调整板
adjustment plate



挂点金具
Mounting Hardware



铝包带
aluminium armor tape



铝合金悬垂线夹
Aluminum alloy suspension clamp



悬垂线夹（带U型挂板）
Suspended clamp (with U-shaped mounting plate)



悬垂线夹
suspension clamp




联板
yoke plate



U型螺栓
U bolt

铁附件系列
Iron Accessories Series



线夹系列 Line Clip Series


NLL-1


NLL-2


NLL-3


NLL-4


NXL-1


NXL-2


NXL-3


NXL-4


NY耐张线夹
NYseries strain clamp


NY系列耐张线夹
NYseries strain clamp


NB耐张线夹
NBseries strain clamp


NY耐张线夹（钢锚整锻）
NYseries strain clamp


耐张线夹钢锚
Tension clamp


NY-G钢绞线用耐张线夹
NY-Gstrain clamp for steel wire


JB铝并沟线夹
JB Aluminum Grooved Wire Clamp


JBT铜并沟线夹
JBT Copper Parallel-Wire Clamp


JBTL铜并沟线夹
JBTL Copper Parallel-Wire Clamp


JBTL铜铝异形并沟线夹
JBTL Copper-Aluminum Special-shaped Parallel-Groove Clamp


JBL铝异形并沟线夹
JBL Aluminum Special-shaped Parallel-Groove Clamp


JBB铁并沟线夹
JBB Tiepengou Line Clamp


NXJG系列
NXJG series


NXJ系列
NXJ series


JT、JTL、JL铜、铜铝、铝接线夹
JT, JTL, JL copper; copper-aluminum composite materials; aluminum wire clamps


螺栓型铜铝设备线夹（闪光焊）
Bolt-type copper-aluminum equipment wire clamp (flawed welding)


铜、铜铝、铝接线夹
Copper, copper-aluminum alloy, aluminum wire clamps


铜板卡子
Copper Plate Clip


铜铜铝单、双槽线夹
Cu-Al-Cu single/double-groove wire clamps


JBY-3


ST铜设备线夹
ST Copper Equipment Clamp


SL铝设备线夹
SL Aluminum Equipment Line Clamp


STL铜铝设备线夹
STL Copper-Aluminum Equipment Clamp


SLG-Q铜铝设备线夹（钎焊）
SLG-Q Copper-Aluminum Equipment Clamp (Brazed)


开关用线夹
Switching Wire Clamp


梅花型铜接线夹
Plum blossom-shaped copper terminal clip


SST、SSL、SSLG螺栓型双导线设备线夹
SST, SSL, and SSLG bolt-type double-wire equipment clamps


SBG螺纹式变压器线夹
SBG Threaded Transformer Clamp


铜铝接线柱
Copper-aluminum terminal post


铜铝接线端子
Copper-aluminum wiring terminal


铜开口接线端子
Copper opening terminal


JJE模型线夹
JJE Model Clamp

铜变压器线夹
Copper Transformer Clamp

安全工具柜 Safety Tool Cabinet

为了适应我国电力工业的发展需要，响应国家电网公司新《安规》精神，配合变电站，供电所的标准化建设。本公司依靠多年来生产安全工器具的技术经验，开发出了自动调控的智能安全工具柜。

To meet the development needs of China's power industry, align with the principles of State Grid Corporation's new Safety Regulations, and support the standardization efforts at substations and power supply stations, our company has leveraged years of technical expertise in production safety equipment to develop an automatically controlled intelligent safety tool cabinet.

I型恒温调湿安全工具柜

L-shaped constant temperature and humidity control safety tool cabinet





Ii型智能自动除湿安全工具柜

Li-type intelligent automatic dehumidification safety tool cabinet







III型智能自动除湿安全工具柜

Type III Intelligent Automatic Dehumidification Safety Tool Cabinet



LED发光显示屏滚动显示状态

能滚动显示柜内存放每种安全工器具的存放数量，下次检测日期和使用中接地线的数量和编号.

LED Display Screen: Rolling Status Display

The display cabinet can scroll to show the quantity of each type of safety equipment stored, the next inspection date, and the number and identification codes of grounding wires in use.

vi型智能自动除湿安全工具柜

Vi-type intelligent automatic dehumidification safety tool cabinet







组合式连体安全工具柜

Combined Integrated Safety Tool Cabinet



安全工具柜系列（全不锈钢材质）规格可以按照客户要求定制

The Safety Tool Cabinet Series (made entirely of stainless steel) can be customized according to customer specifications.









安全工具柜 规格尺寸:

Safety Tool Cabinet Specifications and Dimensions:

2000mm*800mm*430mm

2000mm*1100mm*600mm

2200mm*1100mm*600mm

安全工具柜配套显示屏系列

Safety Tool Cabinet Accompanying Display Screen Series



智能液晶控制屏

Intelligent LCD Control Screen



LED滚动显示屏

LED Rolling Display Screen



智能彩显触摸

Intelligent Color Display with Touch Function



LED滚动显示屏

LED Rolling Display Screen

防撞桶
Anti-collision barrel





警示系列
Warning Series



电力拉线警示管
Electric Power Tension Cable Warning Pipe



过道警示管
Passage Warning Pipe



PVC警示桩
PVC warning post



路 锥
traffic cone



钢管警示桩
Steel Pipe Warning Pole



红马甲
red vest



防电弧服
Arc Protection Suit



防毒面具
gas mask



安全警示服
Safety Warning Vest

开关柜配件
Switchgear Accessories







开关柜小车固封极柱
Sealed electrode posts for the switchgear cart






开关柜状态综合指示仪
range finder





开关柜断路器小车
Switchgear Circuit Breaker Carriage




开关柜小车底盘
Switchgear cart chassis



开关柜
switch cabinet





开关柜闭锁电磁铁
Switchgear locking electromagnet



配电箱
distribution box

安全防护系列
Security Protection Series



有害气体检测仪
Hazardous Gas Detector



测距仪
range finder





防毒面具
gas mask



sf6化工行业防护服
SF6 Chemical Industry
Protective Clothing



安全绳
safety rope



绝缘手套检测仪
Insulation Glove Tester



复苏模拟人
Resuscitation Simulator



护目镜
eye protector



屏蔽服
screening clothing



医疗箱
Medical Kit



绝缘毯
insulating mat



绝缘毯夹
Insulation blanket clamp

接地线系列
Ground Wire Series

携带型短路接地线是按《带电作业用携带型接地和接地短路装置》 中华人民共和国电力行业标准（DL/T879-2004）生产，采用无氧铜丝多股绞合而成，单丝直径为0.15mm，质地柔软，不易氧化。

The portable short-circuit grounding wire is manufactured in accordance with the Chinese power industry standard DL/T 879-2004 "Portable Grounding and Short-Circuit Devices for Live-Line Operations," constructed from multi-strand stranded oxygen-free copper wire with a single-strand diameter of 0.15 mm, featuring a flexible texture and resistance to oxidation.



弹簧型接地线

Spring-type grounding wire



软连接、导电带

Soft connection, conductive tape



TJR1软铜绞线

TJR1 Soft Copper Stranded Wire

适用于各种高低压电器、真空电器，矿用防爆开关及汽车、机车等相关产品做软连接用。采用铜绞线、铜编制线作为导体，两端采用钢管，铜管表面镀银或镀锌处理，接头尺寸按客户配套尺寸生产，在通过特殊处理，做成软连接、软接地。

Suitable for flexible connections in various high/low-voltage electrical devices, vacuum appliances, explosion-proof switches for mining applications, as well as automotive and locomotive-related products. Utilizes copper stranded wire or braided copper wire as the conductor, with both ends secured by steel pipes; the copper surfaces are silver-plated or galvanized. Joint dimensions are customized according to client specifications, and the components undergo special treatment to ensure flexible connectivity and reliable grounding.

接地线、接地线夹
Ground wire, ground wire clamp




接地线3相

Three-phase grounding wire



接地线4相

4-phase grounding wire




铁塔专用接地线

Special grounding wire for tower structures



JDL-15/200环网柜专用肘型接地线

JDL-15/200 Ring Main Cabinet Dedicated Elbow-shaped Grounding Wire



环网柜专用接地线

Special grounding wire for ring main cabinets



带护套接地软铜线

Soft copper wire with sheath and grounded



接地针

Grounding electrode

个人保险辅助接地线是为了有效地防止在停电线路上作业时遭受感应触电，以及在配电网上工作时，防止意想不到的电源侵入所采取的一项极为重要的辅助措施：绝不能代替或淡化正常的验电接地，为了区别正常接地线，故称为个人保安辅助接地线。

The personal safety auxiliary grounding wire is a critical supplementary measure designed to effectively prevent induced electric shocks during work on energized circuits and to guard against unexpected power intrusion when operating in distribution networks. It must never replace or undermine standard voltage-test grounding practices. To distinguish it from conventional grounding wires, it is specifically designated as the personal safety auxiliary grounding wire.

全系列携带型短路接地线（棒）–导线型接地棒
Complete range of portable short-circuit grounding wires (bars) – wire-type grounding rods







全系列携带型短路接地线（棒）–母线型接地棒
Complete range of portable short-circuit grounding wires (bars) – wire-type grounding rods





带电作业绝缘工具系列
Series of Insulating Tools for Live-Wiring Operations



绝缘测量尺（铁路专用）
Insulation Measurement Scale (Specifically for Railways)



火花灯光测零器
Spark Light Zeroer



绝缘扎线剪
insulation cutter for binding



绝缘鹰嘴钳
Insulated pliers



除冰组合工具
Ice Removal Combination Tool



带电清扫刷
charged cleaning brush



绝缘卷尺
Insulated tape measure

外层选用优质PVC，内层选用环氧玻璃前卫原料制带，采用ABS作壳，印刷清晰，款式新颖。广泛应用于电力、建筑、体育、野外作业等长度测量。

The outer layer is made of high-quality PVC, while the inner layer uses an advanced epoxy glass fiber tape. The device features an ABS shell with clear printing and a modern design. It is widely applied in length measurement across various fields such as power engineering, construction, sports, and outdoor operations.


高压拉闸杆（令克棒）
High-voltage circuit breaker lever (Lingke rod)

绝缘杆采用国内领先技术，拉丝缠绕拉挤流水线生产环氧玻璃钢绝缘管，具有防潮、绝缘性能好、机械强度大、使用轻便等特点，适用电压：10KV、35KV、66KV. 110KV、220KV、 500KV。
生产规格：3节3米、3节4米、3节4.5米、3节5米、4节6米。


The insulating tubes are manufactured using domestically advanced technology via a wire drawing, winding, and extrusion assembly line to produce epoxy glass fiber reinforced plastic (GFRP) insulating tubes. They feature excellent moisture resistance, superior insulation performance, high mechanical strength, and lightweight construction, suitable for voltages of 10 kV, 35 kV, 66 kV, 110 kV, 220 kV, and 500 kV. Production specifications include: 3-section units (3 m), 3-section units (4 m), 3-section units (4.5 m), 3-section units (5 m), and 4-section units (6 m).




多规格高压令克棒（拉闸绝缘操作杆）
Multi-specification high-voltage isolating switch operating rod (for circuit breaker disconnection)



防雨型高压令克棒（拉闸杆 绝缘操作杆）
Rainproof high-voltage switchgear operating rod (disconnection rod, insulated operating rod)



可换头插接式
绝缘操作杆
Convertible plug-in type insulated operating rod



绝缘杆式电动
电缆剥皮器
Insulated Rod-type Electric Cable Stripping Machine



多功能带电作业工具箱
Multi-functional Live Working Tool Box

GRB型声光高压验电器
GRB-type acousto-optical high-voltage voltage detector



低压验电器
Electric Metal Components Series




微型验电器
Micro-vacuum detector



声光验电器
Photoacoustic Electric Meter



高压信号发生器
High-voltage signal generator




短路故障指示器
Short Circuit Fault Indicator



GYB2·高压无线核相仪
GYB2 · High-pressure wireless nuclear phase analyzer



对讲机
walkie-talkie



钥匙箱
Key Box

圆管型绝缘梯系列
Circular Tube Insulated Ladder Series



圆管单梯
Single-step tube with circular pipe



轻型绝缘伸缩梯
Lightweight Insulated Extensible Ladder



圆管人字平台梯
Circular tube H-shaped platform ladder

铝撑槽钢型绝缘梯系列
Aluminum-supported channel steel insulated ladder series



C-D1单梯
CD1 single ladder



C-R1人字平台梯
C-R1 Human-shaped Platform Ladder



C-S1升降梯
C-S1 Elevator

绝缘凳（折叠凳、高低凳）系列

Insulating Stool Series (Folding Stools, Height-adjustable Stools)



JYD1型折叠高低凳
JYD1 Type Folding High-Low Stool



JYD2型折叠高低凳
JYD1 2ype Folding High-Low Stool



JYD2型拉动式高低凳
JYD2 Type Pull-type High-Low Stool



JYD4型拉动式高低凳
JYD4 Type Pull-type High-Low Stool



JYD5型拉动式高低凳
JYD5Type Pull-type High-Low Stool




JYD6型平台凳
JYD6 Type Platform Stool

绝缘梯系列

Insulation Series



HZ-H型单梯系列
HZ-H Series Single-Ladder Structure



多种绝缘梯杆
Multiple insulated ladder poles



多种绝缘梯料
Various types of insulating ladder materials



HN-A型人字双梯系列
HN-A Series of Human-shaped Double Ladders




HN-B型关节梯系列
HN-B Series Joint Ladders




HN-E型伸缩梯系列
HN-E Series of Extensible Ladders

安全警示带、安全围栏
Safety warning belts, safety fences



安全围栏

Safety Fence



伸缩式围栏

Extensible fence




YZ2型管式围栏

YZ2 Type Tubular Fence



变压器围栏

Transformer enclosure



警示带（杆、座）

Warning Belt (Rod, Base)



警示带

Warning Belt



警示棋

Warning Banner



不锈钢带式伸缩围栏（单层、双层）

Stainless steel belt-type retractable fence (single-layer, double-layer)



语音报警式自动伸缩警示带

Voice-alarm-enabled automatic adjustable warning tape



围栏车

Fencing vehicle



四角收缩式围栏杆

Square-shaped, contractible fence railing

安全警示带、安全围栏支撑杆系列
Safety warning belts and series of safety fence support rods



安全警示围栏

Safety Warning Fence

安全警示带印制图样


（可根据客户要求定制图样印刷）

Safety warning belt printed with patterns

(Design printing can be customized according to customer requirements)



避雷器、绝缘子系列
Surge arresters and insulator series



HY5WS-17/50　HY5WZ-17/45　HY5WR-17/45　HY5WS-10/30　HY5WZ-10/27　HY5WR-10/27




HY2.5WD-7.6*19　HY5WS-17/50L　HY5WZ-51/134　HY1.5W-0.5/2.6



110kv（220kv）



FXBW-10/70　FXBW-10/70　FXBW-10/70　FJB-10




复合横担绝缘子

隔离开关
disconnecting switch



HGW9　HGW9　HGW9　HGW9



HGW9　HGW9　JDW　JDW

跌落式熔断器
fuse switch



HRW3　HRW7　HRW10　HRW10(F)　RW3



RW7　RW9　RW10　RW11　RW11(F)



RW12　HRW11　HRW12　PRWG2　FHY5WS

各种绝缘护套
Various insulating sleeves



跌落式熔断器护套（一套3只）

Drop-out fuse sheath (set of 3 units)



变压器护罩高压（一套3只）

Transformer shield for high voltage (set of 3 units)



变压器护罩低压（一套4只）

Transformer shield for low voltage applications (set of 4 units)



设备线夹护罩（一套3只）

Device cable clamp protective cover (set of 3 pieces)



避雷器护罩（一套3只）

Lightning arrester shield (set of 3 units)



断路器护罩（一套9只）

Circuit breaker housing (set of 9 units)



隔离开关防护罩（一套4只）

Isolation switch protective cover (set of 4 pieces)



变压器护套（低压1）

Transformer Sheath (Low Voltage 1)



变压器护罩（高压2）

Transformer Shield (High Voltage 2)



熔断器护罩（11型）

Fuse Shield (Type 11)



熔断器护罩（通用型）

Fuse Shield (General Purpose)



熔断器护罩（12型）

Fuse Shield (Type 12)



避雷器护套

Arrester Sheath



设备线夹护套

Device cable clamp sheath



线夹护罩

Wire clamp housing

安全帽
Safety helmet







绝 缘 靴

insulating boot





绝缘手套

insulating gloves, insulating mittens



绝缘服

insulated clothing



卡线器、滑车、防鸟系列
Wire cutter, pulley, bird-proof series



铝镁合金卡线器
Aluminum-magnesium alloy wire clamp



绝缘导线卡线器
Insulating Wire Tensioner



德式卡线器
German-style wire cutter




新型多功能卡线器
New Multi-functional Cable Connector



铁导线卡线器
Iron Wire Retainer



虎头紧线器
Tiger Head Tensioner



磁吸防鸟针
Magnetic bird-repellent needle



万能卡线器（NGK系列）
Universal Card Connector (NGK Series)



双桃地线卡线器
Shuangtao Ground Wire Clamping Device



多功能紧线器
Multi-functional Tensioner



自动地线卡线器
Automatic Ground Wire Clamping Device



风车驱鸟器
Windmill Bird Repellent



电缆网套
Cable Sheath



驱鸟占位器
Bird Repellent Holder



防扭钢丝绳卡线器
Anti-torsion steel wire rope clamp



棘轮紧线器
Ratchet tensioner



绝缘导线剥皮器
Insulating wire peeling tool



双钩紧线器
Double Hook Tensioner



防鸟罩
Bird-proof cover



放线滑车
Reeling Pulley



转角滑车
Turnover Pulley

标识牌系列
Signboard Series










反光警示贴

Reflective warning sticker







防鼠挡板

Rodent-proof barrier



绝缘挡板

insulation barrier



绝缘胶板

Insulating Board



伸缩式红布幔

Extensible red cloth curtain



不锈钢扎带

Stainless steel fastening strap

安全带、脚扣系列
Safety Belt and Foot buckle Series



高空双挂点（铁塔专用）
Double suspension point at high altitude (specifically for communication towers)



高空单挂点全方位
High-altitude single suspension point – comprehensive coverage in all directions.



全方位（丙纶）
All-round polypropylene



普通全方位（涤纶）
Standard All-Directional (Polyester)



双背（涤纶）
Double-layer back (polyester)



普通红双背
Standard Red Double Back



吸能缓冲器（铁塔）
Energy-absorbing buffer (iron tower)



双保险（涤纶）
Double-insulated polyester



五点式全身安全带ZA-10

ZA-10 五点式全身安全带属于高空防坠落国标安全带，广泛用于高空外墙、电力检修、建筑施工、风电安装、脚手架作业

The ZA-10 five-point full-body safety belt is a nationally certified fall protection harness designed for high-altitude environments, widely used in exterior wall construction at great heights, power line maintenance, construction sites, wind turbine installation, and scaffolding operations.



五点式全身安全带ZA-11

ZA-11 属于新国标坠落悬挂五点全身安全带，适配建筑外墙、电力检修、风电、高空维保、脚手架作业

The ZA-11 is a new national standard five-point full-body safety harness designed for use on building exterior walls, power line maintenance, wind power installations, high-altitude maintenance operations, and scaffolding work.



防滑板脚扣
Anti-slip board foot clip



登高板
High-Rise Board



铁路专用脚扣
Special foot fasteners for railways

RXJ型柜内安全工具固定架
RXJ-type cabinet internal safety tool mounting bracket


















/03 联系我们

contact us



2026

Thanks

You For Your Trust

15383373863

3852730711@qq.com

河北省沧州市任丘市梁召镇北芦工业区
Beilu Industrial Zone, Liangzhao Town, Renqiu City, Cangzhou City, Hebei Province